

Dolphin CK65/CK3X/CK3R Mobile Computer

Accessories Guide



TABLE OF CONTENTS

2 Docks and Modules

3 Holsters and Handles

4 Batteries and Chargers

Cables

5 Power Supplies and Adapters

6 Replacement Parts

Snap-on Adapters

7 Flex Dock Supplies

DOCKS AND MODULES



871-228-201

Single Dock, Standard

Accommodates one device and one battery. Not for US customers. Requires power supply 851-061-502 and country-specific AC power cord. Supports Single Dock Ethernet Module, 871-238-012.

The battery bay is not compatible with CK7X battery (318-046-031).



871-228-301

Single Dock, US Only

Accommodates one device and one battery. US customers only. Requires level VI power supply 851-810-002 and US AC power cord. Supports Single Dock Ethernet Module, 871-238-012.

The battery bay is not compatible with CK7X battery (318-046-031).



871-229-202

Ethernet Multi-Dock, Standard

Accommodates up to four (4) devices. Not for US customers. Requires global power supply 851-064-416 and country-specific AC power cord. Provides extra port allowing for ability to link up to three (3) multidocks.



871-229-302

Ethernet Multi-Dock, US Only

Accommodates up to four (4) devices. US customers only. Requires global power supply 851-064-416 and US AC power cord. Provides extra port allowing for ability to link up to three (3) multidocks.



871-229-201

Charge Only, Multi-Dock, Standard

Accommodates up to four (4) devices. Not for US customers. Requires global power supply 851-064-416 and country-specific AC power cord.



871-229-301

Charge Only, Multi-Dock, US Only

Accommodates up to four (4) devices. US customers only. Requires global power supply 851-064-416 and US AC power cord. Supports CK65/CK3X/CK3R.



871-231-102

Vehicle Dock

Securely holds CK65/CK3X/CK3R and provides power. Cabled RS-232 (5 V power on pin 9) or USB Host support is also available. Requires use of Honeywell RS-232 serial cable (p/n 225-737-002) or Honeywell USB cable VE011-2016. The CK65/CK3X/CK3R Series vehicle dock uses the same mounting system (p/n 805-611-001) and vehicle power kits (p/n 203-802-002).



871-236-001

Vehicle Holder

Securely holds CK65, CK3X, and CK3R.



871-238-012

Single Dock, Ethernet Module

Interfaces with USB host connector on Single Dock.

HOLSTERS AND HANDLES



815-087-001

Standard Belt Holster - without Scan Handle

CK65/CK3X/CK3R rugged lightweight holster with belt designed for use with handheld applications without scan handle.



815-088-001

Standard Belt Holster - with Scan Handle

CK65/CK3X/CK3R rugged lightweight holster with belt designed for use with handheld applications with scan handle.



203-879-003

Scan Handle

Customer installable scan handle (replaces the hand strap) that supports the CK65, CK3X, and CK3R.



213-064-001

Kit, Rubber Protective Boot

For CK65 computer with EX20 scan engine. Not compatible with CK3X/CK3R.



213-063-001

Kit, Rubber Protective Boot

For CK65 computer with 6703 scan engine. Not compatible with CK3X/CK3R.



203-988-001

Kit, Protection Boot

Rubber boot for CK3R, charcoal color. Use with or without handle. Not compatible with holster, vehicle dock, or snap-on adapters. Not compatible with CK65/CK3X.



203-989-001

Kit, Protection Boot

Rubber boot for CK3X, charcoal color. Use with or without handle. Not compatible with holster, vehicle dock, or snap-on adapters. Not compatible with CK3R/CK65.

BATTERIES AND CHARGERS



318-033-021

Standard Capacity Battery Pack

One (1) standard rechargeable 7.4 watt hours (2000 mAh) battery. CK3R ships with (1) battery. Compatible with CK65/CK3R/CK3X.

318-034-033

Extended Capacity Battery Pack

One (1) extended rechargeable 18.5 watt hours (5000 mAh) battery pack. CK65/CK3X ships with one (1) battery. Compatible with CK65/CK3X/CK3R.

318-046-031

Extended Capacity "Smart" Battery Pack

One (1) standard rechargeable 18.5 watt hours (5200 mAh) 'smart' battery pack – provides battery health data. Supports CK65/CK3X/CK3R. Cannot be charged in the Quad Battery Charger and the battery bay of Single Dock.

871-230-101

Quad Battery Charger, Standard

Accommodates up to four (4) battery packs. Not for US customers. Requires power supply 851-061-502 and country-specific AC power cord. Not compatible with CK7X battery (318-046-031).

871-230-301

Quad Battery Charger, US Only

Accommodates up to four (4) battery packs. US customers only. Requires level VI power supply 851-810-002 and US AC power cord. Not compatible with CK7X battery (318-046-031).

CABLES



CBL-500-120-S00-03

USB type A to Micro USB, 1,2 m

Charging and USB communication cable, USB Type A to Micro USB, 1,2 m (3.9 ft).



236-297-001

USB Charging and Communications Cable

Use with CK65/CK3X/CK3R for USB connection and for Active Sync (Active Sync for Windows Mobile and USB communication for CK65 Android device) and/or direct charging without the need for a dock or adapter (note charge times will be longer). Not compatible with CK3B.

POWER SUPPLIES AND ADAPTERS

Power Supplies



203-990-001

**Wall Power Supply,
Standard**

Wall Power Supply except China and US. Use with CK65/CK3X/CK3R, plugs directly into the heel for charging. Ships with interchangeable country plugs except China.



203-990-002

**Wall Power Supply,
US Only**

US-only Wall Power Supply. Use with CK65/CK3X/CK3R, plugs directly into the heel for charging. CEC compliant.



213-045-001

**Wall Power Supply,
China Only**

China-only Wall Power Supply. Use with CK65/CK3X/CK3R, plugs directly into the heel for charging.



851-064-416

**Universal Power Supply,
12 Vdc Output**

Use with multi-docks (871-229-201, 871-229-202, 871-229-301, & 871-229-302). Order country-specific AC power cord separately.



851-061-502

**Power Supply for Non-US
Customers,
12 Vdc/30 W Output**

Use with single dock (871-228-201) or quad battery charger (871-230-101). Order country-specific AC power cord separately. Not for US customers.



851-810-002

**Level VI Power Supply, US
Only, 12 Vdc/30 W Output**

Use with single dock (871-228-301) or quad battery charger (871-230-301). US Customers Only



851-065-315

**Power Supply for Rest
of World, except North
America and LATAM,
12 Vdc/18 W Output**

Use with 850-817-002 power snap-on adapter.



851-811-001

**Power Supply for North
America and LATAM,
12 Vdc/18 W Output**

Use with 850-817-002 power snap-on adapter.

REPLACEMENT PARTS

			
CN80-STY-5SH	203-986-001	8754-870650-01	203-987-002
Stylus Replacement Kit Contains five (5) sets of stylus and coiled tether for CK65. Not compatible with CK3X/CK3R.	Stylus Replacement Kit Contains five (5) sets of stylus and coiled tether for CK65/CK3X/CK3R. Not compatible with CK3B.	Hand Strap Replacement Kit Contain five (5) sets of hand straps for CK65, including mounting hardware. Not compatible with CK3X/CK3R.	Hand Strap Replacement Kit Contains five (5) sets of hand straps for CK3X/CK3R. Includes mounting hardware.
			
346-065-101	346-069-107	213-065-001	
Screen Cleaner Kit, Pre-Moist Wipes Includes 24 pre-moistened, non-abrasive, non-streaking 4 in x 7 in wipes.	Screen Protector, 10 each Contains ten (10) self-adhesive screen protectors for CK3X/CK3R.	Glass Screen Protector Kit, 5 each Contains five (5) self-adhesive glass screen protectors for CK65. Not compatible with CK3X/CK3R.	

SNAP-ON ADAPTERS

	
850-817-002	850-815-002
Power Snap-On Adapter Recommended for in-field charging solutions not requiring vehicle dock. Supports use of AC power supply 851-065-315 (Rest of World, except North America and LATAM). Power supply 851-811-001 for North America and LATAM only.	RS-232 Snap-On Adapter Use with CK3R only. Not for use with CK3X/CK65.

FLEX DOCK SUPPLIES



DX4A1444410

Quad Dock - Ethernet

Accommodates four mobile computers. Includes power supply, North American power cord. Features 100Base-T Ethernet connectivity; provides 2 – RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks.



DX4A1444400

Quad Dock - Ethernet

Accommodates four mobile computers. Includes power supply. Order power cord separately. Features 100Base-T Ethernet connectivity; provides 2 – RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks.



DX4A2444410

Quad Dock - Charge Only

Accommodates four mobile computers – CHARGE ONLY. Includes power supply and North American power cord.



DX4A2444400

Quad Dock - Charge Only

Accommodates four mobile computers – CHARGE ONLY. Includes power supply. Order power cord separately.



203-917-001

FlexDock Cup for Battery Pack

FlexDock Cup for battery pack supporting CK65/CK3/CK70/CK71/CK75. Need to order FlexDock Base Desktop (852-920-002) separately.



203-916-001

FlexDock Cup for Mobile Computer

FlexDock Cup for mobile computer supporting CK65/CK3 mobile. Need to order FlexDock Base Desktop (852-920-002) separately.



DX2A2BB10

4-Position Battery Charger

Includes two auxiliary pack charge cups, capable of supporting four battery packs. Includes power supply and North American power cord.



DX2A2BB20

4-Position Battery Charger

Includes two auxiliary pack charge cups, capable of supporting four battery packs. Includes power supply. Order power cord separately.



DX4A2BBBB10

8-Position Battery Charger

Includes four auxiliary pack charge cups, capable of supporting eight battery packs. Includes power supply and North American power cord.



DX4A2BBBB00

8-Position Battery Charger

Includes four auxiliary pack charge cups, capable of supporting eight battery packs. Includes power supply. Order power cord separately.

For more information
www.honeywellaidc.com

Honeywell Safety and Productivity Solutions
9680 Old Bailes Road
Fort Mill, SC 29707
800-582-4263
www.honeywell.com

CK65/CK3X/CK3R Mobile Computer Accessories Guide | Rev B | 04/19
© 2019 Honeywell International Inc.

Honeywell